

12v Twin Cylinder Air Compressor

PK11002

- Absolute user control of the maximum tyre pressure is provided using the adjustable, 'Pressure Set Function' which ensures accuracy & preventing over-inflation
- Set & forget design monitors the pressure in real time, controls the filling profile & automatically stops when the tyre reaches the desired pressure
- Large font LED digital display is easy to read & the simple on/off, reset & tyre pressure set function buttons are easy to see & use
- Dual cylinder design features two 60mm cylinders that work together to provide powerful compression, increased efficiency & reduced inflation times
- 300Lpm air flow provides rapid inflation allowing fast refills saving you valuable time & also adds to safety when used off or on-road by reducing the time spent in dangerous positions such as beside the vehicle
- Built to perform, this unit has an extended duty cycle for continuous inflation tasks for up to 40 minutes without overheating, making it suitable for larger jobs or multiple tyre inflations in one session
- 90A rated current delivers high power output to handle demanding tasks effortlessly, ensuring reliable and efficient operation even under heavy load conditions
- Durable 8m rubber air hose provides extended reach & flexibility for efficient usage in a variety of settings including inflatable beds, balls, pool toys & other inflatables
- 1.8 metre power cord for easy connection to your vehicle's power source, giving you the freedom to manoeuvre around your workspace
- DC12V power supply designed for compatibility with standard 12V automotive systems, making it perfect for on-the-go use with cars, trucks, or SUV's
- This compressor combines powerful performance, user-friendly features, and durable construction, making it an excellent choice for both personal and professional applications

30psi
Pumping Power

150psi
Max Pressure

300Lpm
Max Output



Motor	1.5hp, 12V oil-free direct drive
Protection	Fitted with thermal overload protection
Maximum Air Flow	300 Litres per minute
Maximum Voltage	13.8V
Maximum Amperage Draw	90A
Maximum Working Pressure	150psi
Maximum Restart Pressure	150psi
Maximum Operating Temp	60°C
Minimum Operating Temp	-55°C
Maximum running time	15 minutes
Minimum rest time	15 minutes
Hose Length	8m
Power cord Length	1.8m
Current consumption	55 - 60amp
Weight	8kg



RRP

\$349⁰⁰

3/8" Dr Square Head Sump Plug Tool

PT10255

- For square drive sump plugs
- Ideal for efficient servicing of transmissions, oil pans, differentials, transfer cases & more on cars & other vehicles that uses square head plugs



8mm Male Square Dr

3/8" Drive

Cr-V



RRP

\$7⁹⁰

Digital Multimeter

NU50101

- Accurate Readings on AC & DC Current, OHMS, Continuity & more
- Ideal for performing general auto electrical tasks as well as troubleshooting problems with fuel injection, ignition & body electrics
- Tests AC & DC, Current, OHMS, Continuity resistance, impedance, DC current amplification, diodes & NPN/PNP
- Easy read display & better accuracy than analogue displays
- Two quality test leads with chrome finish probes
- Audible Continuity
- Overload protection
- Battery included

Comprehensive AC/DC Electrical Testing

DC Voltage	200m, 2000m, 20, 200, 1000V
AC Voltage	200, 750V
DC Current	200m, 20m, 2000uA & 10A
Resistance	200, 2000, 20K, 200K, 2000K
Digital Display	45 x 15mm



RRP

\$19⁹⁰

Rechargeable LED Sensor Headtorch

2.5 to 8hrs
Runtime

60 to 350
Lumens

TOP SELLER

PT30101

- Powerful & convenient hands free lighting system
- The clever, soft rubber, form fitting design is lightweight & comfortable
- Twin LED lights provide versatility with the 230° wide angle light at the front & the narrow beam, focused light at the side
- Sensor reception allows hands-free on & off
- High & low settings on both lights to conserve power & extend life
- Added strobe function available for emergencies
- IPX6 water resistance rating
- 300mm USB to type-c charging cable included



COB LED
350LM
Wide Angle

XPE LED
150LM
Focused



Mode		Brightness (Lumens)	Runtime (hrs)
230° Wide Angle	1-100%	350	2.5
	2-40%	150	5.0
Focused	1-100%	150	4.0
	2-40%	60	8.0
Both Lights Strobe	Turn on and hold switch	N/A	8.0



Hand Wave
On/Off



USB to Type-C
Charging Cable

BUY 12pc & SAVE!

Also Recieve this **FREE** Point-of-Sale Display

NEW & Improved
Packaging & POS



RRP

\$24⁹⁰
EACH


Back Seat Dog Hammock Trim & Upholstery Protector

PC40802

- Added comfort & safety for your precious furry family member, as well as your car
- Fully enclosed containment system for added safety & security
- Velcro openings allow simple access to the seat belt stalks to easily secure your pet's safety harness in place
- Front mesh screen provides enhanced airflow from your air conditioning & the luxurious soft padding & anti-slip backing enhances comfort
- Heavy duty waterproof material & cleverly designed zip-up panels protect your doors, seats, carpets & other upholstery against pet hair, scratches, spills & inconvenient accidents
- Easy set up & lightweight folding design
- Simply wipe away messes & fur or clean in a light cycle wash



Mesh Screen Maintains Air Flow from Air Conditioning



Simple Access to Seat Belt Stalks



RRP

\$59⁹⁰

CAUTION
Always use in conjunction with an approved harness & harness belt

Exhaust Hanger Removal Pliers

PT20901

- Long soft grip handles avoid hot exhausts
- Fits a wide range of vehicles
- 25° offset pin
- Easily removes the rubber hanger from the pin on the exhaust pipe bracket
- Increases efficiency
- Hollow tipped forcing pin lines up accurately & applies direct pressure

Application

Target the pin on the exhaust pipe rubber holder, press & then simply remove the rubber hanger.



25° Offset Pin



Length
280mm



S45C STEEL



RRP

\$34⁹⁰

45pc Ratcheting Nutsert Rivet Tool Set

PT90823

- Ratcheting action reduces effort & installation times
- Ratcheting action plus quick-change mandrel & nosepiece design improves efficiency & lowers installation times
- Cross action handles provide reduced effort & helps to lower fatigue
- Adjustable mandrel protrusion with a laser-engraved stroke gauge for precise & accurate nutsert installation
- Compact, but strong design makes this tool ideal for use in confined spaces
- Durable, heavy-duty steel construction provide a long working life
- Ideal for light engineering work, maintenance and repair

**Effortless
Installation**



Mandrel Fitment



Guide Fitment



Guide Adjustment



Ratchet Direction



In Use



Installed Nutsert

Mandrels & Guides		Sizes	Qty	Nutserts	Sizes	Qty
		M6	1		M6	10
		M8	1		M8	10
		M10	1		M10	10
		M12	1		M12	10

RRP

\$175⁰⁰



12pc Ratchet Combination Spanner Set

PT10193

- Removes up to 80% rounded or damaged nuts
- Extraction ring design grips both the ends & middle of the hex, distributing the load, as well as gripping worn & removing worn fasteners
- 120 teeth, 30° swing arc ratchet allows fine adjustment
- High torque ratchet design

Cr-V



**120 Teeth
Ratchet**

Sizes (mm)					
8	9	10	11	12	13
14	15	16	17	18	19



Extraction ring design removes up to 80% rounded or damaged nuts



RRP

\$179⁰⁰

"Deutsch" Style Wire Connectors Refill Kits

• To suit PKTool PT91507 kit

1pc Male Eight Cavity Plug Connector & Wedgelock

PT91507J

• (DT06-08SA & WBS)



RRP
\$4.50



1pc Female Eight Cavity Connector & Wedgelock

PT91507K

• (DT04-08PA & W8P)



RRP
\$4.50



1pc Male Twelve Cavity Plug Connector & Wedgelock

PT91507L

• (DT06-12SA & W12S)



RRP
\$5.50



1pc Female Twelve Cavity Connector & Wedgelock

PT91507M

• (DT04-12PA & W12P)



RRP
\$5.50



70pc Male Stamped & Formed Pin Contact

PT91507N

• (Size 16) [AWG 18-14] (1060-16-0122)



RRP
\$9.90



70pc Female Stamped & Formed Socket Contact

PT91507P

• (Size 16) [AWG 18-14] (1062-16-0122)



RRP
\$24.90



70pc Male Stamped & Formed Pin Contact

PT91507Q

• (Size 16) [AWG 20-16] (1060-16-0622)




RRP
\$12.90



70pc Female Stamped & Formed Socket Contact

PT91507R

• (Size 16) [AWG 20-16] (1062-16-0622)



RRP
\$24.90



"Deutsch" Style Wire Connectors Refill Kits

• To suit PKTool PT91507 kit

4pc Male Two Cavity Plug Connector & Wedgelock

PT91507A

• (DT06-2S & W2S-P012)



RRP
\$5⁹⁰



4pc Female Two Cavity Connector & Wedgelock

PT91507B

• (DT04-2P & W2P)



RRP
\$5⁹⁰



4pc Male Three Cavity Plug Connector & Wedgelock

PT91507C

• (DT06-3S & W3S-P012)



RRP
\$8⁹⁰



4pc Female Three Cavity Connector & Wedgelock

PT91507D

• (DT04-3P & W3P)



RRP
\$8⁹⁰



4pc Male Four Cavity Plug Connector & Wedgelock

PT91507E

• (DT06-4S & W4S)



RRP
\$9⁹⁰



4pc Female Four Cavity Connector & Wedgelock

PT91507F

• (DT04-4P & W4P)



RRP
\$9⁹⁰



1pc Male Six Cavity Plug Connector & Wedgelock

PT91507G

• (DT06-6S & W6S)



RRP
\$2⁹⁰



1pc Female Six Cavity Connector & Wedgelock

PT91507H

• (DT04-6P & W6P)



RRP
\$2⁹⁰



4pc Rolled Head Pry Bar Set



PT90301

- High leverage, slipper foot design
- Hardened & machined rolled head for difficult jobs
- Rolled head, slipper foot design provides high leverage & reduces fatigue
- Long tapered body & pointed podger end is ideal for aligning parts, bolt holes & aligning drift
- Black micro-sanding finish resists corrosion
- Drop forged, high strength carbon steel

Length
150mm

Length
300mm

Length
400mm

Length
500mm

Specifications

Length (mm)	Head Length (mm)
150	30
300	35
400	45
500	55



Dismantling unwanted products



Levering fasteners



Prying open Boxes



RRP

\$49⁹⁰

Brake Drum Vernier Caliper



PT52137


- Provides accurate internal & external brake drum measurements
 - Satin chrome plated reading surface
 - High-quality precision instrument
 - Easy-to-read display for quick & accurate readings
 - Micro in-feed locking screw
 - Hardened, rust-proof durable stainless steel construction for a long working life
- Ideal for a large range of light to heavy commercial vehicles

Measuring Length
0 to 500mm

150mm
Jaw Drop

STAINLESS STEEL

Specifications	
Graduations	0.05mm
Max ID Measurement	0 to 500mm
Max OD Measurement	50 to 500mm
Total Tool Length	650mm
Total Tool Width	165mm



RRP


\$449⁰⁰



Pneumatic CV Boot Stretcher Service Kit

PT51700S

- To suit PT51700



RRP
\$12⁹⁰

Hydraulic Drive Shaft Pusher Service Kit

PT51053S

- To suit PT51053



RRP
\$8⁹⁰

Impact Socket Extension Bars

- Radius corner design
- Quick-fit chamfered edges
- Black MP finish for rust resistance



Cr-Mo

3/4" Dr
150mm

A10C71



RRP
\$39⁹⁰

3/4" Dr
250mm

A10C75




RRP
\$49⁹⁰

4pc T-Type Caravan & Trailer Leveler

LM50410

- Two Axis bubble indicators
- Precise front-to-back or side-to-side leveling
- Fluorescent yellow-green liquid makes leveling simple
- Flat back & two pre-drilled holes for easy mounting on a horizontal surface
- Weatherproof design for a long working life
- Also great for level checking on any horizontal surface



RRP
\$12⁹⁰

Dual Piston Disc Brake Pad Spreader

PT52123

- Wide planar plate evenly & accurately distributes loads
- Suitable for single, dual, quad & some six piston calipers
- Ratcheting action design rapidly compresses & resets the caliper pistons faster the winding tools
- Rapid piston compression reduces maintenance & new brake pad installation times
- The body, handle & Planar Plate are constructed using high-quality & corrosion-resistant aluminium to reduce weight, effort & fatigue
- The thrust plate, thrust rod, pivot plate & thumb lock use strong, high-quality steel with a heavy duty abrasion-resistant coating
- Universal design is ideal for most front & rear brake calipers a wide range of cars, trucks & 4WD vehicles



Opening Range
15 to 72.7mm



Specifications	
Spreader Opening Range	15 to 72.7mm
Planar Plate Width & Height	125mm
Total Extended Length	280mm
Height	200mm

RRP

\$99⁰⁰



Rapid Drive Disc Brake Pad Spreader

PT52124

- Fast piston compression design
- Accurately compresses all brake pistons simultaneously & evenly
- Prevent misalignment & damage to pistons when compressing
- Compact spreader plate design inserts deep into the piston space for maximum contact
- Narrow spreader plates are only 14mm total thickness to allow easy insertion between pistons
- Long-reach spreaders are ideal for deep calipers for accurate compression
- Ratcheting action reduces effort, increases efficiency & reduces servicing times
- Ideal for single, dual, quad & some six piston calipers
- Durable steel & aluminium construction is lightweight & strong for longevity
- Suits most front & rear brake calipers on a wide range of cars, trucks & 4WD vehicles



Opening Range
23 to 78mm



Specifications	
Spreader Opening Range	23 to 78mm
Spreader Plates	95mm W x 47mm D
Total Extended Length	190mm
Total Height	240mm

RRP

\$99⁰⁰



9pc Spark Plug Tube Spanner Set

PT11410

- Ideal for easy spark plug removal for cars, light trucks, mowers, motorbikes
- Also great for recessed nuts & bolts & also around the home for taps & more
- Includes a tommy bar for tightening & loosening
- Heavy duty roll-up pouch
- Zinc plated for added corrosion protection

Specifications


Size (mm)	Length (mm)
6 & 7	110
8 & 9	120
10 & 11	130
12 & 13	140
14 & 15	150
16 & 17	155
18 & 19	170
20 & 22	180
Tommy Bar	170

RRP

\$39⁹⁰



Thin Wall Design



Disc Brake Pad Spreader

PT52122

- 10mm hex head for added turning torque
- Suitable for most front & rear brake calipers with push-in pistons
- Non-slip grip, threaded round handle for hand tightening
- 10mm hex head for use with a spanner provides increased turning torque for stubborn pistons
- Pushes on the pad/piston compressing & resetting it into the bore for efficient installation of new brake pads
- Swivel Joint on the tip reduces friction & prevents damage to the piston
- High-strength steel construction provides a durable & long tool life

Specifications

Working Range	25 to 80mm
Hex	10mm
Width	100mm
Swivel Joint	23mm




**Opening Range
25 to 80mm**



Hand Winding



Spanner Winding



Swivel joint on the tip reduces friction



Non-slip Grip Hand Winding



Non-slip Grip Hand Winding

RRP

\$24⁹⁰

LIQUID[®] PATCH

Stops Flats in its Tracks



***New Safety Lock Cap
Features Built-in
Valve Removal Tool
and Fill in Tube***



Liquid Patch is a fibre based puncture sealant, which immediately and permanently protects both tube and tubeless tyres against punctures in the tread area up to 6mm in diameter. The repair occurs while you are driving and is permanent. Liquid Patch is also environmentally friendly, non- flammable and non-hazardous.

Liquid Patch premium quality sealant remains active for up to five years, instantly sealing punctures repeatedly.

The dual function tube & tyre sealant system seals while you drive, providing automatic puncture protection.

Average amount of Liquid Patch required per tyre:

Bicycles, Golf Carts, Wheelchairs	125mL
Farm Trailers, Ride-On Mowers	250mL
Cars, Caravans, Car Trailers	500mL
4WDs, Off-Road Recreational Vehicles	750mL
Trucks and Vans	1000mL

Item No.	Size	RRP
LP250	250mL	\$12.99
LP500	500mL	\$19.99
LP1	1L	\$34.99
LP10	10L	\$199.00
LP20	20L	\$299.00
LPP	Pump	\$249.00



www.liquidpatch.com

1m Breaker Bar

PT53310

- 90° swivel drive
- 1m length
- 3/4" Dr

3/4"
Drive

Cr-V



RRP

\$129⁰⁰

8pc Flexible Head Ratchet Combination Spanner Set

A20H51

Cr-V


METRIC

- Ratchet head rotates 180° for hard to access areas
- 72T ratchet with 5° sweep

Sizes (mm)	
8	14
10	15
12	16
13	17

RRP

\$179⁰⁰



One Way Ratchet Spanner



Taiwan Made
High Grade

14pc Bearing Separator & Extractor

PT51545

- Effectively extracts the most stubborn gears & bearings
- Fast & effective removal & installation of small or large wheel bearings, gears, pulleys, pinions & axle drive shafts
- Dual knife edge splitter design ensures secure & speedy pulling & separating
- Once the bearings have been split, simply extract it using the L Legs as pullers
- Can be used with hydraulic pullers as well as with extended two-legged mechanical pullers
- Drop forged, hardened alloy steel components ensures longevity & reliability

Description	Maximum I.D. (mm)	Qty
Bearing Separator Jaws/Splitters	50	1
Bearing Separator Jaws/Splitters	76	1
L-Leg Extractor & Puller Arms	145	2
Puller Cross Bar	127	1
Forcing Screw	159	1
Hex Push-Puller Legs	100	4
Hex Push-Puller Legs	127	4

RRP

\$89⁰⁰



250ml Measuring Jug

PT42205

- Ideal for paints, fuel, oil & non-corrosive chemicals
- Clear mL measuring scale
- Handle & easy pouring spout

Capacity
250mL



RRP
\$3⁵⁰

2pc Fibre & Aluminium Sump Washers

PK70320

- Suits Toyota
- 2mm thickness
- OE equivalent
- Crush fit



Inner Dia.
12.3mm

Outer Dia.
21mm

RRP
\$2⁹⁰

20pc Fibre & Aluminium Sump Washers

PK70321

- Suits Toyota
- 2mm thickness
- OE equivalent
- Crush fit



Inner Dia.
12.3mm

Outer Dia.
21mm

RRP
\$19⁹⁰


Fluid Extractor Service Kits

Taiwan Made
High Grade

Includes a comprehensive set of seals necessary for refurbishing this extractor, suitable for addressing both normal wear and tear and damage due to extracting prohibited fluids.

PT50502S

- To suit PT50502



RRP
\$39⁹⁰

PT50504S

- To suit PT50504



RRP
\$49⁹⁰

PT50520S

- To suit PT50520



RRP
\$129⁰⁰

PT50521S

- To suit PT50521



RRP
\$34⁹⁰

9pc Impact Extension Bar Set

PT111162

- Impact strength for hard to reach areas
- Convenient custom cut EVA tray fits neatly into a standard or roller tool box for tidy & organised storage
- Increased tool set versatility provided by the diverse square drive sizes & extension lengths
- Accesses hard-to-reach fasteners in narrow, tight or obstructed areas
- Saves time & increases efficiency by reducing the need to disassemble obstacles which will impede your workflow
- Strong construction makes these extensions ideal for use with air, electric & manual impact tools



Cr-V

**Custom Cut
EVA Tray**

**1/4"
Drive**

**3/8"
Drive**

**1/2"
Drive**

Specifications

Item	Dr	Length (mm)
	1/2"	250
	1/2"	125
	1/2"	50
	3/8"	150
	3/8"	75
	3/8"	45
	1/4"	150
	1/4"	100
	1/4"	50

RRP

\$44⁹⁰

2pc Electrostatic Spring Sun Shade Set

PC20250

- Blocks harmful UV rays & reduces glare
- The shade adheres to the window using electrostatic technology
- Non-adhesive design allows easy attachment and removal without residue
- Sunshades pop open effortlessly for quick setup & fold down easily for convenient storage



RRP

\$5⁹⁰

Easy Twist Storage



Protects Your Car from the Aussie Sun



Suits Windows up to
44 x 36cm

**Electrostatic
Technology**

No Suction Cups Required



8pc Long Reach Magnetic Nut Driver Set

PT10818

- Long reach allows access into narrow & hard to access areas
- Strong hex head magnetics conveniently hold nuts & bolts in place for easier fitting & removing
- Quick-change design increases efficiency
- Perfect for automotive, roofing, carpentry, home mechanic, other high usage fasteners & any one-handed operational requirements & more
- Black phosphate coating provides maximum rust resistance & long tool life

Specifications	
Size	Metric (mm)
Hex Head	7 8 9 10 11 12 13 14
Driver Length	152
Hex Shaft	6.4mm (1/4")

RRP

\$39⁹⁰



METRIC

Cr-V

1/4" Hex Drive



10pc Magnetic Socket Insert Set

PT11681

- Converts a regular socket into a magnetic socket
- Strong, simple, temporary magnetic socket adaptor
- These inserts will firmly hold fasteners into your sockets, preventing them from falling into hard-to-reach areas
- Sizes are moulded into the insert for easy identification
- Ideal for use with standard or deep sockets
- Can be left in or removed for use in other sockets
- Reduces down time finding dropped fasteners & makes installation and removal jobs easier
- Socket & ratchet remains unmagnetised on the removal of the insert



RRP

\$19⁹⁰

Fits Sockets	
6PT	12PT
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	



METRIC



Auto Top-Up Pneumatic Brake Fluid Bleeder Kit

PT50519

- With master cylinder refill system & no manual pumping
- Airline powered pneumatic design for easy use & to eliminate the need for manual pumping to create a vacuum
- The clever "never run dry system" uses a gravity fed, auto refill top-up bottle sits above the reservoir, held in place by using one of four adaptors provided which eliminates air being accidentally added to the fluid lines due to low fluid levels
- Old fluid in each cylinder & fluid line will be completely flushed from the system, including the Master cylinder, without the need to get up & down to constantly pump or monitor the fluid levels to complete the job. Just monitor the clear hose of the extractor till you see clean fluid to appear
- The total removal of old fluid ensures that any contaminants, water & air provides to safer outcome & a firm, confident pedal feel
- The universal fit, rubber brake bleeder adaptor provides a tight, no-leak seal over the cylinder nipple
- The 1L refill bottle includes a durable copper valve assembly & the extractor bottle is supplied with a handy hanging hook

**Never Run Dry
Bleeding System**



 Includes Instructions

Part	Specs
Inlet Air Pressure	6 to 8.5 Bar (90-120psi)
Air Consumption	180LPM
Container Capacity	0.75L
Top-Up Bottle	1L
Four Master Cylinder Adaptors	21 to 30mm, 24to 32mm, 28 to37mm, 32 to 41mm
Vacuum	60%
Hose Length	1.8m Clear Hose
Thread Connection	1/4" BSP (Female)
Airline fitting	Nitto Style



**One Person
Bleeding System**



**Auto Refill Bottle with
Master Cylinder Adaptor**



**Refill Bottle Copper
Valve Assembly**



**Four Master
Cylinder Adaptors**



**No-Leak, Cylinder
Nipple Vacuum Seal**



**Easy View
Clear Hose**



RRP

\$89⁰⁰

Disc Brake Piston Spreader

PT52121

- Easily resets caliper pistons back to their original position
- Suitable for most front & rear brake calipers
- Cross handle design for easy & comfortable turning
- Pushes on the inner pad compressing the piston back into the bore creating room for installation of the new brake pads
- Heavy duty design



Easy Piston Compression & Pad Installation



Cross-Handle Design



CAUTION

Add a drop of oil to the thread on the plate to facilitate smoother turning and extend the lifespan of your tool

RRP

\$24⁹⁰

5pc Ball Joint, Tie Rod & Pitman Arm Separator Kit

PT51508

- Solid & reliable hammer separation
- Universal design & multiple sized fork widths and thicknesses will suit most difficult to release steering joints on most cars & light trucks
- Simply place fork under the ball joint tool, tie rod puller or pitman arm, then tap with a hammer to separate
- Strong professional grade, drop forged & heat-treated carbon steel will ensure long term & effective use
- Long & extra-long handles will assist with manoeuvrability & effectively deal with difficult angles
- Comfortable, non-slip & knurled striking handles provide a firm & secure grip while separating & hammering offering reduced hand fatigue
- Also removes camber adjustment sleeves on light-duty Ford trucks & other vehicles

Hammer Cracking



Part	Gap (mm)	Sizes (mm)
	24.50	400
	24.50	320
	28.00	295
	36.00	300
	41.80	300



RRP

\$99⁰⁰

2-Jaw Gear Pullers

- Great for tight spaces
- Reversible for internal & external pulling
- Made from drop forged chrome vanadium steel for superior performance under high loads

**Cr-V
Legs**



Part No.	Sizes up to (mm)	RRP
PT51040	75	\$2490
PT51041	100	\$3490
PT51042	150	\$4490



Two Way Oil Filter Wrenches

**1/2"
Drive**



- Twin, serrated claw gripping
- Loosens & tightens Spin-on filters
- Serrated jaws provide an aggressive grip
- Grips harder as you increase torque
- Spring-loaded, easy jaw adjustment & filter fitting
- Rugged, solid steel construction
- Oxide finish repels rust
- 1/2" Dr or use a 21mm spanner

Part No.	Suits Filters (mm)	RRP
PT50310	60 to 80	\$3990
PT50311	80 to 115	\$4490



**Unscrews &
Tightens Filters**



**Spring Loaded
Serrated Jaws**



**Suits Filters
60 to 80mm**



**Suits Filters
80 to 115mm**



Hex Bit Sockets

- 78mm
- Impact
- 1/2" Dr
- Cr-Mo

Cr-Mo

1/2"
Drive



Part No.	Size (mm)	RRP
PT11944	5	\$1490
PT11945	6	\$1490
PT11946	17	\$1490
PT11947	19	\$1490



Star Bit Socket

PT11739

- 78mm
- Impact
- 1/2" Dr
- Cr-Mo



1/2"
Drive

Cr-Mo

RRP
\$1190



Tyre Valve Installation Tool

PY30102

- With valve core installer & remover
- Simple lever action installation
- ABS handle protects alloy & steel wheels from being scratched during a valve installation
- Deep threaded installation head for positive sealing of all snap-in type valve stems
- Valve Stem installer & remover on base of tool
- For use on cars, trucks, motor bikes & some pushbikes

Protects Alloy Wheels




RRP
\$990

Trim & Panel Clip Removal Pliers

PT70911

- Flat, twin blade profile effortlessly removes trimclips & panels
- Efficiently removes trims & fasteners using the slim 1-2mm flat blades which smoothly slide under clips
- Plier handle design helps protect trims from damage when removing clips
- The narrow design handle easily fits into confined areas
- Perfect round or square clips, fasteners & plastic rivets
- Ideal for exterior & interior auto trims, moulds & audio devices
- Easy-use, spring loaded handle reduces fatigue

Trim Protection Design



RRP
\$2490

Rechargeable LED Work Light

PT42502

- Powerful 5W/500 lumens COB LED work light with a 100 lumens SMD LED torch on top
- Indicator which shows when the unit is charging (red) and when it is fully charged (green)
- Simply click once for the torch function and again for the work light function, then again to turn off
- High Power magnet on the base attaches firmly to any metallic surface
- Handy rotatable hanging hook on the top
- 180° rotating base arm allows you to adjust the lighting to every angle required
- Overcharge & over-discharge protection circuit prolongs battery life
- Tough ABS body construction provides better heat dissipation & a long working life
- Type C charging port with 1m charging cable included



Specifications		
Type	Lumens	Runtime
Worklight	500/5W	Up to 2.5 hours
Torch	100	Up to 11 hours
LED	SMD & COB	
Battery	3.6V Li-polymer, 2500mAh	
Charge Time	3 to 4 hours	
Safeguards	Overcharge & over-discharge protection & auto shut off function	
Charging Port	Type-C	
Cable	1m USB to Type-C	
Magnets	On the base of the 180° rotating arm	
Body	ABS	
Indicator	Red for charging & Green for fully charged	

RRP

\$69⁹⁰

Rechargeable LED Dimmable Work Light

PT42503

- Powerful 600 lumens SMD LED work light with a 130 lumens SMD LED torch at the end of the arm
- Work light has a dimming function for reduced light & battery longevity
- Indicator which shows when the unit is charging (red) and when it is fully charged (green)
- Simply click once for the torch function and again for the work light function, then again to turn off
- High Power magnet on the base attaches firmly to any metallic surface
- Handy rotatable hanging hook on the base
- 180° rotating and twisting work light arm allows you to adjust the lighting to every angle required
- Overcharge & over-discharge protection circuit prolongs battery life
- Tough ABS body construction provides better heat dissipation & a long working life
- Type C charging port with 1m charging cable included



Specifications		
Type	Lumens	Runtime
Worklight	600	Up to 2.5 hours
Torch	130	Up to 7 hours
LED	SMD & COB	
Battery	3.6V Li-polymer, 2500mAh	
Charge Time	3 to 4 hours	
Safeguards	Overcharge & over-discharge protection & auto shut off function	
Charging Port	Type-C	
Cable	1m USB to Type-C	
Magnets	On the base	
Body	Aluminium & ABS	
IP Rating	IP54	
Indicator	Red for charging & Green for fully charged	

RRP

\$69⁹⁰

Rechargeable SMD LED Mini Work Light

PT42500

- Powerful 600lm SMD LED with three brightness settings for extended battery charge
- Emergency strobe function increases safety
- Simply continue to press the on/off button until you reach the desired lumen level & once more for the strobe function
- High Power magnet attaches to any metallic surface
- Strong 180° rotatable hang clip for non-metallic surfaces
- Overcharge & over-discharge protection circuit prolongs battery life
- Tough aluminium & ABS body construction provides better heat dissipation & a long working life
- Type-C charging port with 1m charging cable included
- IP65 water resistance



Specifications		
Brightness	Lumens	Runtime
Intense	600	70 minutes
High	400	2 hours
Low	180	4 hours
Emergency Strobe	80	4.5 hours
LED	SMD	
Battery	3.7V Li-polymer, 600mAh	
Charge Time	2.5 to 3 hours	
Safeguards	Overcharge & over-discharge protection	
Charging Port	Type-C	
Cable	1m USB to Type-C	
Body	Aluminium & ABS	
IP Rating	IP65	

RRP

\$37⁹⁰

Rechargeable LED Pocket Work Light & UV Torch

PT42501

- Powerful 350 lumen COB LED work light & 100/1W lumen SMD LED torch
- UV-A Blacklight is ideal for inspecting components for scratches & also for leak detection
- Simply click once for the torch function and again for the work light function, then click again to turn off
- To activate the UVA light press the on/off button for two seconds
- Indicator shows when the unit is charging (red) and when it is fully charged (green)
- High Power magnet on the base & the rotatable pocket clip attaches firmly to any metallic surface
- Overcharge & over-discharge protection circuit prolongs the battery life
- Tough aluminium & fibre reinforced nylon body construction provides better heat dissipation & a long working life
- Type C charging port with 1m charging cable included
- IP65 water resistance



Specifications		
Type	Lumens	Runtime
Worklight	350	2.5 to 3 hours
Torch	100/1W	7 to 8 hours
UVA light	1W/390 to 400nm	2.5 to 3 hours
LED	SMD & COB	
Battery	3.7V Li-polymer, 2000mAh	
Charge Time	3 to 4 hours	
Safeguards	Overcharge & over-discharge protection & auto shut off function	
Charging Port	Type-C	
Cable	1m USB to Type-C	
Magnets	On the base & the rotating clip	
Body	Aluminium & fibre reinforced nylon	
IP Rating	IP65	
Indicator	Red for charging & Green for fully charged	

RRP

\$54⁹⁰

Offset Handle Ratchets

- Offset angled shaft
- Better knuckle clearance in tight areas
- 90 teeth
- Reversible with flick lever
- Socket lock
- Comfort grip rubber handle

NEW & Improved



**90
Teeth**



Cr-V

Part No.	Drive	Length (mm)	RRP
A10D00	1/4"	150	\$2990
A10D01	3/8"	200	\$3490
A10D02	1/2"	250	\$4490

Wide Jaw Shifters

- Extra long & narrow tapered jaws
- Wide jaw opening is ideal for large fasteners & pipes
- Super narrow, wide & long jaws for large & hard to access jobs
- Precision-machined worm gear & sliding jaw provides a smooth adjusting action & a perfect fit
- Laser etched, millimetre scale on the body allows the tool width to be precisely adjusted & set to the required size prior to using
- Drop-forged, heat-treated Cr-V steel with corrosion-resistant finish & soft grip, ergo handles to reduce fatigue

Part No.	Jaw Width (mm)	Length (mm)	RRP
PT11220	34	150	\$1990
PT11221	36	200	\$2790
PT11222	51	250	\$3290
PT11223	60	300	\$4190



Cr-V











20pc Pressurised Rapid Engine Oil Draining & Filling System

PT53508





- Uses high pressure air to penetrate oil galleries & clear sludge & minor blockages, as well as reducing oil servicing times
- The Rapid Engine Oil Draining & Filling System delivers high pressure air via the model specific filler adaptors to the oil galleries, which then pushes out sludge & minor blockages, providing a far better & cleaner oil change
- Regulated, compressed air assists in rapidly draining all of the oil from the engine & will significantly reduce draining times compared with gravity draining, providing increased oil change productivity & a superior oil change service
- Fifteen colour coded, precise fit & engine specific filler adaptors create an airtight seal on the opening & the universal adaptor also fits most other engines
- Air pressure is controlled by the Draining System valve & is provided with a Nitto style fitting
- Multi angled elbow & pipe design allows funnels to be easily mounted in an upright position on slanted, awkward or obstructed engines by building a funnel design assembly that allows you to avoid obstructions & avoid messy slanted funnel positions
- Sealed filler holes also eliminates the occurrence of overflowing oil caused by it backing up in the rocker cover & spilling from this area, particularly on engines with internal baffles or shields, stopping oil wastage & mess
- 2L funnel capacity for fast filling
- Ideal for Audi, Acura, BMW, Chevy, Dodge, Ford, GMC, Honda, Hyundai, Jaguar, Jeep, Land Rover, Lexus, Lotus, Mazda, Mercedes Benz, Nissan, Porsche, Saab, Scion, Subaru, Toyota, Volvo, VW & more



Components			
Part	Description	Part	Description
	Oil Draining System Pressuriser Valve		30° female elbow
	Universal Cone Adaptor		30° male elbow
	2L funnel		Extension pipe
	45° elbow		3m Hose



Application Chart	
Part	Suits Models
	8 Acura: Integra, Legend, NSX Dodge: Hemi V8 Engines, Eon, Ram with Cummins Turbo Diesel Ford: F150, F250 & F350 (6.0L Turbo diesel, 6.9L, 7.3L, 6.0L, 6.4L) Honda: Accord, Civic, Element, Fit, S2000 Jaguar: 4.2L V8 2003-2009 Land Rover: Defender, Discovery, Range Rover Mazda: 2 Nissan: Pathfinder, Sentra
	9 Subaru: BRZ, Legacy 4 cyl. (cyl.), Impreza, Outback 4 & 6 cyl. (cyl.)
	10 Dodge: Cummins 6.7L, plus 95 & up 3.3L, 3.8L and 05 & up 5.7L (2013 & up)
	11 Mazda: 2014 & up Mazda 3 & 6 plus 2013 & up Mazda CX-5
	12 Cadillac, Chevy, Ford, GMC, Hyundai, Jaguar, Land Rover, Mazda, Saab, Mercury
	13 Audi A3(Quattro) 2008+, A4(Quattro) 2009+, A5(Quattro) 2010+, A6(Quattro) 2012+, Q3(Quattro) 2015+, Q5 2011+, TT(Quattro) 2009+, Allroad 2013+, Beetle 2012+, CC 2009+, Eos 2009-2016, Golf 2008+, GTI 2008+, Golf R 2009+, Jetta(GLI) 2008+, Passat 2008+, Tiguan 2009+, Atlas 2018+, Seat, Skoda
	14 Chrysler 300C, Jeep Grand Cherokee, Cherokee, Land Rover Discovery, Freelander
	15 Lotus: Elise, Exige Pontiac: Vibe Scion: With threaded oil cap Toyota: 4 Runner, Avalon, Corolla, FJ Cruiser, Land Cruiser, Matrix, RAV4, Sequoia, Tacoma, Tundra
	16 BMW, VW, Cadillac, Chevy, Ford, GMC, Hyundai, Jaguar, Land Rover, Mazda, Saab, Mercury
	17 Dodge Hemi 6.4L, plus 2011 & up 3.6L (2014 & up)
	18 Cadillac, Chevy, Ford, GMC, Hyundai, Jaguar, Land Rover, Mazda, Saab, Mercury

Application Chart	
Part	Suits Models
	4 Audi: A3, A4, A5, A8, Q7, R8, RS4, RS6, S4, S6, S8 BMW-models with Bajonett-Cap Mercedes: Sprinter 2,7 L, 3,0 L V6 CRD & other models with Bajonett-Cap Porsche: Cayenne, Panamera Volvo: 244, 245, 264, 265, 740, 760VW: Beetle, CC, Cabrio, Eos, EuroVan, GTI, Golf, Jetta, Passat, Phaeton, R32, Rabbit, Touareg
	5 Toyota: 3.0L & 3.3L V6, Highlander V6, Dienna Lexus: 3.0L & 3.3L V6
	6 Lotus: Elise, Exige Pontiac: Vibe Scion: With threaded oil cap Toyota: 4 Runner, Avalon, Corolla, FJ Cruiser, Land Cruiser, Matrix, RAV4, Sequoia, Tacoma, Tundra
	7 Ford: Maverick II -2008, Escape 4 cyl. (cyl) 2008-2014, Explorer 2.0L, EcoBoost 2012-2013, Focus 2007-2013, Fusion Hybrid 2013. Jaguar: XF 2013 Land Rover: Range Rover Evoque 2012-2013, LR2 Mazda: 3, 6, MX-5, CX-5, Mazdaspeed 3 & 6 2.3L Turbo

RRP

\$199⁰⁰

9pc Hose Clamp Pliers & Tool Set


PT40403

- Removes & locks clamps and hoses in all hard to access areas
- Clever handle design includes a gear lock mechanism on some pliers providing easier clamp removal
- Optimal tool range for assembly & disassembly of most automotive hose, fuel, oil & other clamps
- Remote-action long reach tool will reach hard-to-access clamps
- Ideal for access to narrow or hard-to-reach places
- Ideal for use on fluid systems, line systems, hose clamps, flat & spring clamps
- Easy-grip handle for reduced fatigue
- Constructed with nickel chromium steel providing ultimate strength & longevity
- Rust resistant black oxide coating

Master Kit



Pliers	Size (mm)	Part	Size (mm)
Swivel Jaw Spring Wire Clip	216	Hose Remover Plier	216
Swivel Jaw Band Clipper	216	Hook Tool Hose Remover	216
Flat Band Hose Clamp	216	Dual-Head Screwdriver	216
Angled Flat Band Hose Clamp	225	Long Reach Hose Clamp Plier	Tool: 210 Cable: 630
Clic-R Collar	170	Spare Crimp for Long Reach Hose Clamp Wire	



RRP

\$75⁰⁰

Grease Gun Uni-Joint

PT50704

- 30° tilt
- Fits all grease guns
- Allows access to tight areas



RRP

\$14⁹⁰

Valve Stem Seal Removal Pliers

Serrated Jaws
For a Precise Grip

PT51307

- Long arm design to reach deep seals
- Compatible with OEM & aftermarket seals of all configurations
- 265mm long
- Minimum 110mm reach
- Slip free serrated jaws precisely grip seals
- Anti-rust, corrosion-resistance finished heat-treated steel for a long service life
- Ideal for overhead camshaft engines



RRP

\$24⁹⁰

274mm Long Reach Spark Plug Boot & Hose Pliers

12.5mm
Hoses/Boots

PT20122

- 12.5mm circular head
- Serrated jaws for maximum gripping strength



RRP

\$19⁹⁰

180mm 3-in-1 Crimper, Cutter & Cable Stripper

TOP SELLER

PT20712

- Spring assisted, accurate & precise stripping & crimping
- Stainless steel jaws are precisely milled to provide accurate & easy wire stripping & crimping
- Sharp straight edge delivers a clean cut
- Spring assist handle reduces fatigue
- Serrated nose provides a firm grip
- Ergo, non-slip handles have a soft & comfortable feel
- Long life, heavy duty stainless steel
- Safety lock keeps jaws closed when not in use



Sizes (mm)	Stripping	22-10AWG
0.6	1.6	Copper wire and aluminum wire: 0-6mm ²
0.8	2.0	
1.0	2.6	
1.3	Crimping	0.5-2.0mm ²



RRP
\$24⁹⁰

Ratchet Tie Down

LM10183

- 9m x 50mm
- Lashing capacity: 2,500kg
- Breaking strain: 5,000kg
- Made from polyester webbing
- Great for trailers, boats, etc
- Strong & easy to use
- Multi-purpose
- Complies with AS/NZS 4380
- Two yellow capacity sleeves on the main strap easily identify the load rating



Fitted with a double locking J hook for load security



RRP
\$24⁹⁵










43pc Harmonic Balancer/Pulley Installer & Puller Master Set



PT51014

- Full range of adaptors & bolts to suit most engine front balancers & pulleys
- Developed for use on harmonic balancers & drive pulleys with threaded tapped holes
- The cleverly designed 3/4" diameter forcing screw has an internal bearing which is matched with a circular 2/3-way puller flange that distributes the torsional force evenly across the face of the tool to ensure hassle free & long use
- Easily & safely removes & installs these parts without damage to the pulley
- Heavy duty hardened steel that is zinc plated or black coated to prevent rust & corrosion



Description	Sizes	Length	Type	Qty	Description	Sizes	Length	Type	Qty
Puller Bolts (Silver) 	5/16"	6"	UNC	2	Harmonic Balancer/Pulley Installer Adaptor Studs 	M16	2.0	Metric	1
	5/16"	3-1/2"	UNC	3		M14	1.5	Metric	1
	5/16"	3"	UNF	2		M12	1.5	Metric	1
	3/8"	1-1/2"	UNF	3		3/4"	16	UNF	1
	1/4"	2-1/2"	UNF	2		5/8"	18	UNF	1
	3/8"	3"	UNC	3		9/16"	18	UNF	1
	3/8"	4-1/2"	UNC	2		1/2"	20	UNF	1
	3/8"	2"	UNC	3		7/16"	20	UNF	1
Puller Bolts (Black) 	M8	M24	Metric	3		6 Washers			
	M8	M22	Metric	3	Pulling 				
	M8	M20	Metric	3					
	M10	M24	Metric	3					
	Puller Screw & Body				Installing 				
	Puller Flange Plate								
	Harmonic Balancer/Pulley Pulley Adaptor								



RRP

\$179⁰⁰